

Can we map existing user group in ldap to Ezeelogin as Ezeelogin user group?

144 admin July 23, 2025 [Tweaks & Configuration](#) 10766

How can an existing LDAP user group be mapped to the Ezeelogin user group?

FAQ:

- How to assign a user group for LDAP users?
- Is it possible to change the user group for LDAP users?
- Is it possible to use the same group name assigned in LDAP in Ezeelogin user groups as well?

Overview: This article will help the admin user of Ezeelogin to map groups used by users in LDAP. The admin user needs to create user groups in Ezeelogin with exactly the same names used in LDAP and can set priority to auto-create users to the higher priority groups. In this way, users from LDAP will have the same groups in Ezeelogin as well.

Step 1: Make sure to provide the 'Group Attribute' to identify user groups in the LDAP server.

The screenshot shows the Ezeelogin administration interface. On the left is a sidebar menu with options like Servers, Web Portals, Users, Access Control, Settings (highlighted), General, Branding, Control Panels, Data Centers, API, LDAP (highlighted), SAML, OpenID Connect, FIDO2, RADIUS, SIEM, Server Fields, Cluster, Command Guard, Account, and Audit. The main panel is titled 'LDAP Settings'. It contains several configuration fields: Name (windows_ad), URI(s) (ldap://ad-server), Start TLS (unchecked), Bind RDN (CN=Administrator,CN=Users,DC=eznoc,DC=com), UID Attribute (sAMAccountName), First Name Attribute (givenName), Email Attribute (mail), Timeout (10), Active (checked), and Verify Certificate (checked). On the right side, there are fields for Base DN (CN=Users,DC=eznoc,DC=com), Bind Password (masked), Filter, Last Name Attribute, Group Attribute (highlighted with a green arrow and containing 'memberOf'), Rank (10), and Windows Active Directory (checked). At the bottom right are 'Cancel' and 'Save' buttons.

Step 2: Create the user group within Ezeelogin GUI by the same name as in LDAP. The LDAP users would be automatically assigned to the same user group within Ezeelogin as it is in LDAP.

<input type="checkbox"/>	Name ↓	Description	Priority	Force 2FA	Actions
<input type="checkbox"/>	Admins	Administrators	0	×	
<input type="checkbox"/>	Dummy	Dummy Group	0	×	
<input type="checkbox"/>	devops_team		3	×	
<input type="checkbox"/>	<u>systems_team</u>		5	×	

1 - 4 / 4

Step 3: Set priority if the LDAP user belongs to multiple groups in LDAP. The LDAP user will be imported to the highest priority group. Add or edit user groups and set priority.

If a user exists in multiple user groups, then the user will import to the user group having higher priority.

Example: If a user called Marc is a member of the DevOps team & system team and if we give the highest priority to the system team(priority 5) and lowest to the DevOps team (priority 3), the user Marc will be imported to the user group system team since it has higher priority (5).

Name


Priority

Command Guard

☐ Allow ☒ Disallow

Description

Force Two Factor Authentication
☐



Related Article:

[Map existing usergroup from SAML to Ezeelogin usergroup.](#)

[Can we authenticate internal user along with existing ldap authentication?](#)

[How to integrate OpenLDAP or Windows Active Directory into Ezeelogin?](#)

[Error: LDAP extension is not installed](#)

[How to use the LDAP password as the security code on user login in SSH?](#)

[How to solve the LDAP failed error in Ezeelogin?](#)

[Error: LDAP search error: Can't contact LDAP server](#)

Online URL:

<https://www.ezeelogin.com/kb/article/can-we-map-existing-user-group-in-ldap-to-ezeelogin-as-ezeelogin-user-group-144.html>