


Set SSH User Expiry

239 admin February 5, 2025 [Productivity & Efficiency Features](#), [Security Features](#), [Tweaks & Configuration](#) 10184

How to set the expiry for Ezeelogin SSH gateway users?

Overview: This article describes the feature that lets you manage the duration for which an SSH gateway user will have access to the gateway after expiry. The duration of the SSH access to the gateway can be set to expire in minutes, hours, days, or on a date as shown below. This is useful while granting temporary access to a user.



Step 1: Navigate to **User section** -> **Edit the user** -> **set the expiry** and save it.

Refer to the screenshot below to set SSH user expiry:

Ezeelogin Welcome, Administrator Logout

Users

- User Groups
- Authentication Log
- SSH Log
- RDP Recording
- SCP Log
- Web Proxy Log
- Web Proxy Activity
- Web Activity
- Shell Activity
- Server Activity
- Work Summary
- Status

Access Control

Settings

Cluster

Command Guard

Account

Help

License

Edit User

First Name
mike

Username
mike

User Group
Admins

Expire
on
2023-03-09 12:06

Last Name
k

Email
mike@gmail.com

Status
☒ Active ☐ Suspended

Command Guard
-- None --
☒ Allow ☐ Disallow

Virtual Shell
☐ X

Pass User Through
Inherit

SSH Key Passphrase

LDAP
None

Authorization Password

Cancel **Save**

Sub SSH User
-- Select --

Force Password Change
☐ X

Step 2: After the duration of expiry, the user gets expired.

Ezeelogin

Account expired

Username

Password

Login

Step 3: You can disable the user's suspension by setting the status of the user as **Active** as shown below.

Ezeelogin Welcome, Administrator Logout

Users

- User Groups
- Authentication Log
- SSH Log
- RDP Recording
- SCP Log
- Web Proxy Log
- Web Proxy Activity
- Web Activity
- Shell Activity
- Server Activity
- Work Summary
- Status

Access Control

Settings

Cluster

Command Guard

Account

Help

License

Edit User

First Name: mike

Last Name: k

Username: mike

Email: mike@gmail.com

User Group: Admins

Status: ☒ Active ☐ Suspended

Command Guard: -- None --

Virtual Shell: ☒ Allow ☐ Disallow

Pass User Through: Inherit

SSH Key Passphrase:

LDAP: None

Authorization Password:

Cancel Save

Only the **admin-privileged** user would be able to log into the web interface and unsuspend the users (users -> edit -> set status to active -> enter authorization password(password of the currently logged in user) -> save). Note that this is possible for admin-privileged users and not for any other user.

Related Articles:

[How to suspend ssh gateway user?](#)

[Set expiry for gateway users](#)

Online URL: <https://www.ezeelogin.com/kb/article/set-ssh-user-expiry-239.html>