

Add custom fields on server add form

261 Manu Chacko March 12, 2021 [Productivity & Efficiency Features](#), [Technical](#) 5849

How to add custom fields on the server add form while adding a server?

1) Click on the settings -> server field -> add custom server field

Ezeelogin Welcome, Administrator Logout

Servers **Web Portals** **Users** **Access Control** **Settings** **Cluster** **Command Guard**

Settings

- General
- Branding
- Control Panels
- Data Centers
- API
- LDAP
- SAML
- RADIUS
- Server Fields**

Edit server field

Name
Contact

Description
Contact information details

Type
Text

Encrypted
No

Sort Order
1

Cancel Save

https://10.11.1.182/ezlogin/index.php/base#account/profile


2) You will be able to view the custom field while adding the server by servers -> add server -> advanced section

The screenshot shows the 'Advanced' configuration page in the Ezeelogin Shell interface. The left sidebar contains a navigation menu with options like Server Groups, Super Groups, Sub SSH Users, Sub SSH User Maps, mExec lists, Import, Global Key, Key Management, Web Portals, Users, Access Control, Settings, Cluster, Command Guard, Account, Help, License, and Feedback. The main content area is titled 'Advanced' and contains the following fields:

- Control Panel User
- Control Panel Password
- Control Panel Host
- Switch User
- Switch User Password
- Password Prompt
- Root Prompt
- Remote Console Host
- Remote Console Password
- Tunnel Host
- Remote Console User
- On Host
- Rack ID
- Machine ID
- Use DNS
- CP Use DNS
- Contact

A red arrow points to the 'Contact' field.

3) Make sure that to enable custom field by clicking on the account -> Show custom fields in Ezeelogin Shell (ezsh)



If the server field is not visible in the backend ezsh shell, ensure that "Show custom fields in Ezeelogin Shell" is enabled as shown above.

4) The user can see the password from backend. Put the cursor on the server you are trying to access and press tab[provides server information]

Command Prompt

```
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.

C:\Users\Riya>runas /user:EZELOGIN\Administrator cmd
Enter the password for EZELOGIN\Administrator:
Attempting to start cmd as user "EZELOGIN\Administrator" ...

C:\Users\Riya>
```


Administrator: cmd (running as EZELOGIN\Administrator)

```
Microsoft Windows [Version 10.0.14393]
(c) 2016 Microsoft Corporation. All rights reserved.

C:\Windows\system32>
```

5) You can use the access control to grant the custom server field access to the other non admin users.

Access control -> UserGroup-Action -> Servers (View Server Details) & Settings



How to enable custom server field for all users in ezeelogin

To enable custom server fields for all users, run the following command:

```
root@localhost:~ php /usr/local/ezlogin/ez_queryrunner.php "replace
into prefix_preferences (user_id, name, value) select id,
'show_custom_fields_ezsh' as name, 'Y' as value from prefix_users"
```

Online URL: <https://www.ezeelogin.com/kb/article/add-custom-fields-on-server-add-form-261.html>