Add custom fields on server add form

261 Manu Chacko October 23, 2024 Productivity & Efficiency Features, Technical 7317

How to add custom fields on the server add form in Ezeelogin?

Overview: This article helps Ezeelogin gateway users on how to add custom server fields to the server add form.

Step 1. Login to Ezeelogin GUI, click on the settings -> server field -> add custom server field

Users		Custom Server	Fields find	All	~				Rows Auto 🗸 🛇
Access Control	•	□ <u>Name</u> ↓	Alias	Description	Туре	Encrypted	Include In Listing	Sort Order	Actions
5 Settings	-				17.62	No item			
General							a constant of the second		
									1 and the second
	1.10							e e e	
							and the second second		
				all a start			and the state of the state		
		•	fin .			and the second second	Care In the State		· · · ·
SIEM		at a starting				· ·		-	
Server Fields									

Step 2. Provide the details for the custom server field

- Name: A name for the custom server field
- Alias: The column title name shown in server listing.
- Description: Brief description on the custom server field
- Type: Type of the custom server field added.
- Encrypted: Shows if the information stored in the field would be encrypted or not.
- Include In Listing: If enabled, the filed will be displayed in the server listing.
- **Sort order:** The order number determines the position of the field in the server edit page. Lower values would be
- Actions: To add or delete custom fields.

Ezeelogin	Welcome, Administrator Logout
i≣ Servers ►	Edit server field
🖬 Web Portals 🛛 🕨	Name
±t Users ►	ServerInformation
Access Control	Alias 🔍
°₀ Settings 🗸 🗸	ServerInfo
► General	Description
► Branding	Basic information
 Control Panels 	Туре
 Data Centers 	Text 🗣
► API	Encrypted
► LDAP	No ‡
► SAML	
► FIDO2	Include In Listing 🕑
► RADIUS	Yes 🗘
► SIEM	Sort Order
 Server Fields 	50
🛞 Cluster	Cancel Save
Command Guard	
축 Account	

Step 3. The custom field can be viewed while adding a server by navigating to **Servers** -> **Add Server** -> **Advanced section**.

Ezeelogin			Welcome, Administrator Logout
E Servers ▼	Sec. 1	Edit Server	
 Server Groups 			
		Advanced	0
 Sub SSH Users 		Control Panel User 🛛	
 Sub SSH User Maps 	and a	Control Panel User 🥣	Control Panel Password 😡
 mExec lists 	30.4		
► Import		Control Panel Host 🐵	Switch User 💿
 Global Key 			
 Key Management 	14.1	Switch User Password 😡	Password Prompt 💿
🔚 Web Portals 🛛 🕨	-		ssword:
🏦 Users 🕨		Privilege Escalation 🕡	Root Prompt 💿
Access Control		None 🗘	
⁰₀ Settings		Tunnel Host 🥹	Remote Console Host @
😚 Cluster		Remote Console User 🕡	Remote Console Password 😮
Command Guard	Sec. 1		
😭 Account		On Host 😡	Host Node 🥥
🛞 Help 🕨 🕨		None \$	Machine ID •
, License		Rack ID	Machine ID 🐨
	10.3		
		Comments	Use DNS 🐵
			Inherit 🗘
	1.		CP Use DNS 🐵
		h	Inherit \$
	19-20-		Ignore Sub SSH User 🥹
	No.		- ×
			ServerInformation
			Server used for Cpanel backups.
		IPMI	0
	18.2		

Step 4. When '**Include In Listing**' is enabled, the custom server field appears in the server listing and is displayed under the name specified in the '**Alias**' column.

Servers V	Servers find	All	domain lookup	0			Rows Auto 🗸 🕥
	□ <u>Name</u> ↓	IP Address	Server Group	SSH Port	Description	ServerInfo	Actions
	+ Cpanel/WHM	server 192.168.1.56	Linux Servers	22		Server used for Cpanel backups.	/ 🗔 🗔 🕄
		100 100 1 57	Line Oraces	20			/ 🚳 👞
	+ OpenpanelSer	vers 192.168.1.57	Linux Servers	22			3
	+ Production Se	rver 192.168.1.43	Linux Servers	22			/ 😼 🛄
	+ openznode.co	m 192.168.1.64	Linux Servers	22			
		102.100.1.01	Linux ourvers	4-4-			
	as						1 - 4

Step 5. To view custom server fields in Ezeelogin shell(ezsh) for gateway users, make sure to enable **Show Custom Fields** for the each individual gateway users in Ezeelogin GUI by clicking on the **Account** -> **Preferences** ->**Show custom fields in Ezeelogin Shell**


Ezeelogin			Velcome, John Logout
:≣ Servers ►			
		Preferences	
Account ▼		History size 📦	Default menu mode 💿
Preferences		100	Normal 🗘
► Theme		Terminal Emulation 🐵	Skip group menu 🕑
Key Bindings			
► Profile		vt102 \$	×
Password	1.0	Preferred Autologin 🥹	Language
 Google Authenticator 		Control Panel	English 🗘
► SSH Log			Show custom fields in Ezeelogin Shell 😡
▶ SCP Log		Collapse Menu 🕺	
License		X	
<i>∢</i> Collapse			Cancel Save
Powered by ezeelogin.com			

<u>Server details</u>

Name	:	Cpanel/WHM server
SSH port	:	22
SSH User	:	root
Group	:	Linux Servers
ServerInformation	:	Server used for Cpanel backups.

Press any key to continue...

Step 6. Use the access control to grant the custom server field access and view server details access to non admin users. Access control -> User-Action -> Servers (View Server Details) and Access control -> User-Action -> Settings



How to enable custom server field for all users in ezeelogin?

Emergency CLI Method:

• Run the following command to enable custom server fields for all users.

root@gateway:~#_php /usr/local/ezlogin/ez_queryrunner.php "REPLACE INTO prefix_preferences (user_id, name, value) SELECT id, 'show_custom_fields_ezsh' AS name, 'Y' AS value FROM prefix_users"

Related Articles:

Enable Custom Server fields for Ezeelogin Users from database

Migrate the custom server fields from Ezeelogin version 7.0 to the latest version

Online URL: https://www.ezeelogin.com/kb/article/add-custom-fields-on-server-add-form-261.html