Clear two factor authentication

36 admin November 21, 2024 Two Factor Authentication (2FA) 11617

How to reset Google authenticator, DUO, Yubikey, Access keyword, Radius, and FIDO2 two-factor authentication (2FA) secrets for the gateway user?

Overview: This article will help Ezeelogin admin users reset Google authenticator, DUO, Yubikey, Access keyword, Radius, and FIDO2 two-factor authentication (2FA) secrets for the gateway user when the user is locked out or has forgotten their 2FA.



Prompt for 2FA when a user tries to log in to the GUI:



• If the gateway user has admin privileges, they can click on the reset password icon, enable

"Clear Two-Factor Authentication Secret," and then save the changes.

Ezeelogin							6	Welcome, Administrator Logout	
E Servers	Change password an	d/or security code - t	om						
🔚 Web Portals	New Password				Confirm Password				
±t Users ▼									
User Groups	Generate Confirm					onfirm Security Code			
Authentication Log									
► SSH Log					the size first Deserves and	A		1/3	
► RDP Recording	Clear Two Footer Auth	antiantian Caarat 🚳		Generate Au	inorization Password	•			
► SCP Log	Clear Iwo-Pactor Autri	entication Secret 🐨						1	
Web Proxy Log			-	C	ancel Save			and the second sec	
Web Proxy Activity	Force Password Chang	ge 🐵		_					
Web Activity	×								
Shell Activity									
Server Activity						1 1 1 1 1 1 1 1			
Work Summary	Users find	All	×					Rows Auto V	
▶ Status	□ <u>Username</u> ↓	First Name	Last Name	Email	Status	Expiry	User Group	Actions	
	alex	alex		alex@gmail.com	Active		Admins	😼 🦯 🌹 🗐	
Access Control	ezadmin	Administrator		ezadmin@gmail.com	Active		Admins	u 🖉 🖉 🖥	
♥ Settings	🗹 tom	tom		tom@gmail.com	Active		Admins	□ / 1 🖶	
Cluster								1-3/3	
Command Guard	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1. N. 1	to the second		a station -		States and		

Note: The gateway user can now log in without being asked for 2FA if 2FA is not enforced; otherwise, the user will be prompted to set up 2FA again.

How to reset the Google Authenticator code individually?

• Individual users can log into the GUI, and navigate to Account -> Google Authenticator -> Reset to reset the Google Authenticator code.



Emergency CLI Method:

For Ezeelogin Version 7 and above:

1. To disable two-factor authentication (2FA) for the admin user, run the following commands.

root@gateway:~# php /usr/local/ezlogin/ez_queryrunner.php "update
prefix_settings SET value = 0 WHERE name = 'two_factor_auth'"

root@gateway:~# php /usr/local/ezlogin/ez_queryrunner.php "update prefix_users set egs=NULL,eak=NULL,eyk=NULL,set_duo=0 where id=1"

2. To disable two-factor authentication (2FA) for all users, run the following command.

root@gateway:~# php /usr/local/ezlogin/ez_queryrunner.php "update prefix_users set egs=NULL,eak=NULL,eyk=NULL,set_duo=0"

Abbreviations:

eak = Access Keyword eyk = Yubikey egs = Google Authenticator set_duo = DUO 2FA

Emergency CLI Method:

For Ezeelogin Version 6 and below:

Users need to provide the correct db_name and dbprefix from ez.conf to run the MySQL commands manually.

1. Find the database name and database prefix from /usr/local/etc/ezlogin/ez.conf from the Ezeelogin gateway server.

root@gateway:~# cat /usr/local/etc/ezlogin/ez.conf | grep -i "db_name|db_user|db_pass|db_prefix"

db_name ezlogin_por

db_user ezlogin_cxy

db_pass ymhbtPaY)VzD2g]84

db_prefix casmbn_

2. Log in to MySQL command prompt

Replace the "db_user", "db_name" and "db_pass" with values in /usr/local/etc/ezlogin/ez.conf from the Ezeelogin jump server.

root@gateway:~# mysql -u db_user -p db_name

3. Run the following command to clear the two-factor authentication (2FA) for the admin user.

Replace "dbprefix_" with the value of dbprefix_ from /usr/local/etc/ezlogin/ez.conf from the Ezeelogin jump server.

Example: "dbprefix_settings" is to be replaced with "casmbn_settings".

```
mysql> UPDATE dbprefix_settings SET value = 0 WHERE name =
'two_factor_auth' ;
```

mysql> UPDATE dbprefix_users SET egs=NULL,eak=NULL,eyk=NULL,set_duo=0
where id=1;

4. Run the following command to clear the two-factor authentication (2FA) for all users.

mysql> UPDATE dbprefix_users SET
egs=NULL,eak=NULL,eyk=NULL,set_duo=0;

Related Articles:

Enable/Disable 2FA [Two Factor Authentication] on Ezeelogin.

How to enforce 2 Factor Authentication on user login?

How to disable 2FA from Ezeelogin GUI?

Disable two-factor authentication from the backend

Online URL: https://www.ezeelogin.com/kb/article/clear-two-factor-authentication-36.html