

# Install ezeelogin without internet access on Centos 7

365 Manu Chacko July 26, 2024 [Installation](#) 4627

## Installing Ezeelogin on an Offline Server

**Overview:** This article outlines the steps to install Ezeelogin on a server without internet access. It includes downloading required packages, mounting a CentOS ISO as a media repository, enabling the Yum repository, installing necessary packages, setting up Ioncube, and obtaining a standalone license. Finally, it covers executing the Ezeelogin installation script.

You can install Ezeelogin on a server without internet access by following these steps.

**Step 1.** Download the following packages required for install ezeelogin manually and upload to the machine which you are planning to install ezeelogin

[http://rpms.remirepo.net/enterprise/7/php73/x86\\_64/php-ldap-7.3.25-1.el7.remi.x86\\_64.rpm](http://rpms.remirepo.net/enterprise/7/php73/x86_64/php-ldap-7.3.25-1.el7.remi.x86_64.rpm)

[http://rpms.remirepo.net/enterprise/7/php73/x86\\_64/php-mysqldb-7.3.25-1.el7.remi.x86\\_64.rpm](http://rpms.remirepo.net/enterprise/7/php73/x86_64/php-mysqldb-7.3.25-1.el7.remi.x86_64.rpm)

[http://rpms.remirepo.net/enterprise/7/php73/x86\\_64/php-process-7.3.25-1.el7.remi.x86\\_64.rpm](http://rpms.remirepo.net/enterprise/7/php73/x86_64/php-process-7.3.25-1.el7.remi.x86_64.rpm)

[http://rpms.remirepo.net/enterprise/7/php73/x86\\_64/php-7.3.25-1.el7.remi.x86\\_64.rpm](http://rpms.remirepo.net/enterprise/7/php73/x86_64/php-7.3.25-1.el7.remi.x86_64.rpm)

[http://rpms.remirepo.net/enterprise/7/php73/x86\\_64/php-cli-7.3.25-1.el7.remi.x86\\_64.rpm](http://rpms.remirepo.net/enterprise/7/php73/x86_64/php-cli-7.3.25-1.el7.remi.x86_64.rpm)

[http://rpms.remirepo.net/enterprise/7/php73/x86\\_64/php-common-7.3.25-1.el7.remi.x86\\_64.rpm](http://rpms.remirepo.net/enterprise/7/php73/x86_64/php-common-7.3.25-1.el7.remi.x86_64.rpm)

[http://rpms.remirepo.net/enterprise/7/php73/x86\\_64/php-json-7.3.25-1.el7.remi.x86\\_64.rpm](http://rpms.remirepo.net/enterprise/7/php73/x86_64/php-json-7.3.25-1.el7.remi.x86_64.rpm)

[http://rpms.remirepo.net/enterprise/7/php73/x86\\_64/php-pdo-7.3.25-1.el7.remi.x86\\_64.rpm](http://rpms.remirepo.net/enterprise/7/php73/x86_64/php-pdo-7.3.25-1.el7.remi.x86_64.rpm)

[http://repos.del.extreme-ix.org/epel/7/x86\\_64/Packages/l/libargon2-20161029-3.el7.x86\\_64.rpm](http://repos.del.extreme-ix.org/epel/7/x86_64/Packages/l/libargon2-20161029-3.el7.x86_64.rpm)

### #Centos iso

[http://centos.mirrors.estointernet.in/7.9.2009/isos/x86\\_64/CentOS-7-x86\\_64-Everything-2009.iso](http://centos.mirrors.estointernet.in/7.9.2009/isos/x86_64/CentOS-7-x86_64-Everything-2009.iso)

### #Ioncube

[https://downloads.ioncube.com/loader\\_downloads/ioncube\\_loaders\\_lin\\_x86-64.tar.gz](https://downloads.ioncube.com/loader_downloads/ioncube_loaders_lin_x86-64.tar.gz)

### #Ezeelogin packages

```
https://downloads.ezeelogin.com/ezlogin_7.24.1_php71.bin
```

```
https://downloads.ezeelogin.com/bins/ezlogin_7.23.0_bins_Linux.tar.bz2
```

```
#Get the license file file ezeelogin support team
```

Download and upload the above package to the machine

**Step 2.** Mount the Centos ISO as Media repo to the machine. We are mounting the ISO to a new directory called CentOS in the /media directory.

```
#Create directory for mount.
```

```
mkdir /media/CentOS
```

```
#Load the DVD/ISO. Mount the disc image to the newly created directory
```

```
mount /dev/cdrom /media/CentOS -t iso9600 -o loop
```

Enable the Yum Repository

```
#Enable media repo and disable all other repos.
```

```
yum --disablerepo=* --enablerepo=c7-media
```

### Step 3. Install the packages.

```
yum install mariadb-server bzip2
```

```
yum install libargon2-20161029-3.el7.x86_64.rpm php-7.3.25-1.el7.remi.x86_64.rpm php-  
cli-7.3.25-1.el7.remi.x86_64.rpm php-common-7.3.25-1.el7.remi.x86_64.rpm php-  
json-7.3.25-1.el7.remi.x86_64.rpm php-ldap-7.3.25-1.el7.remi.x86_64.rpm php-  
mysqlnd-7.3.25-1.el7.remi.x86_64.rpm php-pdo-7.3.25-1.el7.remi.x86_64.rpm php-  
process-7.3.25-1.el7.remi.x86_64.rpm
```

### Install Ioncube

```
#untar ioncube package to /usr/local/ioncube
```

```
tar -zxvf ioncube_loaders_lin_x86-64.tar.gz && mv ioncube /usr/local/
```

```
#Add "zend_extension = /usr/local/ioncube/ioncube_loader_lin_7.3.so" to /etc/php.ini
```

```
[root@centos]# vi /etc/php.ini
```

```
zend_extension = /usr/local/ioncube/ioncube_loader_lin_7.3.so
```

```
[root@centos]# systemctl restart httpd
```

Get the standalone license from ezeelogin support team before ezeelogin installation

Install ezeelogin jump server by simply executing installation script( Replace with the latest ezeelogin package name which you have downloaded)

```
sh ezlogin_7.x.x_phpxx.bin -- -usebin /root/ezlogin_7.x.x_bins_Linux.tar.bz2
```

---

### Related Articles

[How can we upgrade PHP in an Ezeelogin installed server ?](#)

[How to upgrade PHP to 7.4 on Centos 7](#)

[PHP Fatal error: The file /usr/local/sbin/backup\\_ezlogin.php was encoded by the ionCube Encoder for PHP](#)

Online URL:

<https://www.ezeelogin.com/kb/article/install-ezeelogin-without-internet-access-on-centos-7-365.html>