


# How to enable mail notifications in Ezeelogin Jump Host

371 Nesvin KN July 27, 2024 [Features & Functionalities](#) 3162

## Enabling and configuring email notifications in ezeelogin

**Overview:** This article covers configuring email notifications in Ezeelogin. It includes adding a valid email address for the super admin, updating the notification sender's address and name, and ensuring a mail server is installed. It also provides steps to enable failed login, change, and shell access notifications in the Ezeelogin Jump Host settings.

Edit the super admin user and add a valid email address to receive the notifications. Refer below screenshot.



To change from address and name navigate to **Settings -> General -> Miscellaneous -> Notification From Name / Notification From Email**

Ezeelogin

Welcome, Administrator Logout

Servers

Web Portals

Users

Access Control

Settings

General

Branding

Control Panels

Data Centers

API

LDAP

SAML

RADIUS

Server Fields

Cluster

Command Guard

Account

Help

License

Collapse

Powered by ezeelogin.com

General Settings

AuthenticationTwo Factor AuthenticationSecurityDefaultsMiscellaneous

Gateway SSH Port

22

RDP Proxy Port

22555

Web Proxy Port

52666

Web Proxy Request Timeout

120

Web Proxy Forwarded Header

☒

Log Space Threshold (MB)

0

NodeJS Command

node

Login theme

Dark

Internal commands

☒

CP Use DNS

☒

Proxy Host

Proxy Username

Message Of The Day

Login Page Notice

Notification From Name

Ezeelogin Notification

SSH Timeout

10

Web SSH Port

22222

Web Proxy Session Timeout

300

Web Proxy Web Sockets

☒

Log Retain Duration (months)

0

mExec Concurrency

100

Hide Inbuilt Backgrounds

☐

Use DNS

☐

License Timeout

30

Proxy Port

Proxy Password

Pass User Through

☐

Delete Sub SSH Remote User

☐

Mexec Lists in Group Menu

☐

Notification From Email

noreply@ezeelogin.com

Cancel

Save

Make sure you have installed a mail server on your server. Refer below article to install Sendmail on the gateway server.

[Configure SMTP on Ezeelogin Jump server](#)

### **Step 1. How to enable failed login mail notification in Ezeelogin Jump Host?**

Failed login notification -- Send mail notification to super admin user for failed login in Ezeelogin GUI.

You can enable notification in **Settings -> General -> Security -> Failed Login Notification**

Ezeelogin

Welcome, Administrator Logout

Servers

Web Portals

Users

Access Control

Settings

General

Branding

Control Panels

Data Centers

API

LDAP

SAML

RADIUS

Server Fields

Cluster

Command Guard

Account

Help

License

Collapse

Powered by ezeelogin.com

General Settings

AuthenticationTwo Factor AuthenticationSecurityDefaultsMiscellaneous

Password Minimum Length

20

Password Minimum Block Letters

1

Password Minimum Special Characters

1

Auto Create User

☐

Automated Password Change

☐

SSH Session Logging

Output

RDP Recording

☐

Proxy Allow All

☐

Four Eyes Authorization

☐

Consider Server Activity

☐

Shell Activity Timeout

0

Passthrough Environment Variables

LANG, LC\_CTYPE, LC\_NUMERIC, LC\_TIME, LC\_COLLATE, LC\_MONETARY, LC\_MESSAGES, LC\_ALL

Password Maximum Length

32

Password Minimum Small Letters

1

Password Minimum Digits

1

Command Guard

Disable

Shell Access Notification

☐

Encrypt SSH Session Logs

☐

Web Proxy Logging

-- None --

Tunnel Allow All

☐

Hide Server Details

☐

Recursive Delete Protection

☒

Failed Login Notifications

☒

Change Notifications

☐

Cancel

Save

---

## Step 2. How to enable change notification in Ezeelogin Jump Host?

Change Notification -- Send mail notification to super admin user when important changes are done on Ezeelogin GUI.

You can enable notification in **Settings -> General -> Security -> Change Notification**

Ezeelogin

Welcome, Administrator Logout

Servers

Web Portals

Users

Access Control

Settings

General

Branding

Control Panels

Data Centres

API

LDAP

SAML

RADIUS

Server Fields

Cluster

Command Guard

Account

Help

License

Powered by ezeelogin.com

General Settings

AuthenticationTwo Factor AuthenticationSecurityDefaultsMiscellaneous

Password Minimum Length

20

Password Minimum Block Letters

1

Password Minimum Special Characters

1

Auto Create User

☐

Automated Password Change

☐

SSH Session Logging

Output

RDP Recording

☐

Proxy Allow All

☐

Four Eyes Authorization

☐

Consider Server Activity

☐

Shell Activity Timeout

0

Passthrough Environment Variables

LANG, LC\_CTYPE, LC\_NUMERIC, LC\_TIME, LC\_COLLATE, LC\_MONETARY, LC\_MESSAGES, LC\_ALL

Password Maximum Length

32

Password Minimum Small Letters

1

Password Minimum Digits

1

Command Guard

Disable

Shell Access Notification

☐

Encrypt SSH Session Logs

☐

Web Proxy Logging

-- None --

Tunnel Allow All

☐

Hide Server Details

☐

Recursive Delete Protection

☒

Failed Login Notifications

☐

Change Notifications

☒


Cancel

Save

### Step 3. How to enable shell access notification in Ezeelogin Jump Host?

Shell access notification -- Send mail to super admin user when a user login to Ezeelogin shell (ezsh).

You can enable notification in **Settings -> General -> Security -> Shell Access Notification**



[Configure SMTP on Ezeelogin Jump server](#)

[Error: User with the email does not exist, but with the username exists](#)

Online URL:

<https://www.ezeelogin.com/kb/article/how-to-enable-mail-notifications-in-ezeelogin-jump-host-371.html>