# How to enable mail notifications in Ezeelogin Jump Host

371 Nesvin KN July 27, 2024 Features & Functionalities 3427

## Enabling and configuring email notifications in ezeelogin

**Overview:** This article covers configuring email notifications in Ezeelogin. It includes adding a valid email address for the super admin, updating the notification sender's address and name, and ensuring a mail server is installed. It also provides steps to enable failed login, change, and shell access notifications in the Ezeelogin Jump Host settings.

Edit the super admin user and add a valid email address to receive the notifications. Refer below screenshot.

Ezeelogin				Welcome, Administrator	Logout
i≣ Servers ►		Edit User			
📲 Web Portals 🛛 🕨	×	First Name		Last Name	
차 Users 🗸 🗸		Administrator			
<ul> <li>User Groups</li> </ul>		Username 🕢		Email 🚄	
Authentication Log		ezadmin		ezadmin@ezeelogin.com	
SSH Log		User Group		Status	27
RDP Recording		Adving		Active Suspended	150
SCP Log	6.6	Adminis			
▶ Web Proxy Log		Expire 😡		Command Guard 🥹	P
Web Proxy Activity		Never \$		None 🛊	
Web Activity		l imit IPs 🝘		Allow	100
<ul> <li>Shell Activity</li> </ul>					
<ul> <li>Server Activity</li> </ul>				Virtual Shell 🕑	
Work Summary	. A.	Allowed IPs @		×	
▶ Status			1.	Pass User Through 🕢	

To change from address and name navigate to **Settings -> General -> Miscellaneous** -> **Notification From Name / Notification From Email** 

Ezeelogin		Welcome, Administrator Logout
E Servers	General Settings	Authentication Two Factor Authentication Security Defaults Miscellaneous
🖬 Web Portals	Gateway SSH Port 🥪	SSH Timeout 💞
1. Users	22	10
Access Control	RDP Proxy Port 🥹	Web SSH Port @
°₀ Settings 🗸	22555	22222
► General	Web Proxy Port @	Web Proxy Session Timeout 🥑
Branding	52000	300
<ul> <li>Control Panels</li> </ul>	Web Proxy Request Timeout 🥹	Web Proxy Web Sockets 🥹
Data Centers	120	
	Web Proxy Forwarded Header 🥹	Log Retain Duration (months) @
► SAML		0
► RADIUS	Log Space Threshold (MB) 💞	mExec Concurrency 🥹
Server Fields	0	100
🛞 Cluster	NodeJS Command @	Hide Inbuilt Backgounds 🥯
Command Guard	node	×
	Login theme 🥹	Use DNS 🐵
Account	Dark \$	×
🛇 Help 🔶	Internal commands 🥹	License Timeout 😡
License		30
✓ Collaose	CP Use DNS 🐵	Proxy Port 🐵
Powered by ezeelogin.com	Proxy Host 🐵	Proxy Password 🐵
	Proxy Username 🞯	Pass User Through 1
		×
	Message Of The Day 🥹	Delete Sub SSH Remote User @
		×
		Mexec Lists in Group Menu 🧐
		×
· · · · · · · · · · · · · · · · · · ·	Login Page Notice 🮯	Notification From Email 🐵 🚄
		noreply@ezeelogin.com
• • •		Cancel Save
	Notification From Name @	
	Ezeelogin Notification	

Make sure you have installed a mail server on your server. Refer below article to install Sendmail on the gateway server.

Configure SMTP on Ezeelogin Jump server

#### Step 1. How to enable failed login mail notification in Ezeelogin Jump Host?

Failed login notification -- Send mail notification to super admin user for failed login in Ezeelogin GUI.

You can enable notification in Settings -> General -> Security -> Failed Login Notification



### Step 2. How to enable change notification in Ezeelogin Jump Host?

Change Notification -- Send mail notification to super admin user when important changes are done on Ezeelogin GUI.

You can enable notification in Settings -> General -> Security -> Change Notification

Ezeelogin			Welcome, Administrator Logout
		General Settings	Authentication Two Factor Authentication Security Defaults Miscellaneous
E Servers	*	Password Minimum Length 😨	Password Maximum Length 👽
Web Portals		20 \$	32 \$
At Users		Password Minimum Block Letters 😨	Password Minimum Small Letters 💿
		1 •	1 *
			1
+₀ setungs		Auto Create User 💿	Command Guard 🥑
General     Branding		×	Disable \$
Control Panels		Automated Password Change 🥃	Shell Access Notification 😨
<ul> <li>Bata Centers</li> </ul>	1	×	X
► API	*	SSH Session Logging 🐷	Encrypt SSH Session Logs 🕡
► LDAP		Output \$	X
► SAML			Web Draw Longin .
+ RADIUS			web Proxy Logging
<ul> <li>Server Fields</li> </ul>			NORE ¥
Oluster		Proxy Allow All	Tunnel Allow All 👻
Command Guard		Four Eyes Authorization 📦	Hide Server Details
n Account		X	×
💮 Help 🕞		Consider Server Activity 😡	Recursive Delete Protection 😨
		×	
License		Shell Activity Timeout 🥪	Failed Login Notifications 💚
<i>≪ Collapse</i>		0	×
		Passthrough Environment Variables 🥪	Change Notifications 🥌
ezeelogin.com		LANG,LC_CTYPE,LC_NUMERIC,LC_TIME,LC_COLLATE,LC_MONETARY,LC_MESSAGES,LC_ALL	✓
	1.1		Cancel Save

#### Step 3. How to enable shell access notification in Ezeelogin Jump Host?

Shell access notification -- Send mail to super admin user when a user login to Ezeelogin shell (ezsh).

You can enable notification in Settings -> General -> Security -> Shell Access Notification



Configure SMTP on Ezeelogin Jump server

Error: User with the email does not exist, but with the username exists

Online URL: https://www.ezeelogin.com/kb/article/how-to-enable-mail-notifications-in-ezeelogin-jump-host-371.html