
setting session time out for the web interface

38 admin June 19, 2024 Common Errors & Troubleshooting, Tweaks & Configuration 8466

Configuring Session Expiry for the Web Interface

Synopsis: This article explains what web session timeout is and also outlines the steps to set or enable session timeout in the Ezeelogin Web Interface.



Web session timeout is an event that occurs when a user does not perform any action or remains inactive for a predefined period, leading to the automatic termination of their session.

Set/enable session timeout

Login to the Ezeelogin gateway shell and modify or add timeout values in the ezeelogin conf file, set the variable in seconds.

nano /usr/local/etc/ezlogin/ez.conf

cookie_expiration 3600 # (3600 seconds = 60 min)

```
GNU nano 2.9.3
                                     /usr/local/etc/ezlogin/ez.conf
                                                                                           Modified
cver 2
system_folder /var/www/ezlogin/
www_folder /var/www/html/ezlogin/
uri_path /ezlogin/
force_https no
db_host localhost
db_port /var/run/mysqld/mysqld.sock
db_name ezlogin_aihx
db_user ezlogin_xmfrob
db_pass
db_prefix yuqj_
cookie_encryption_key
cookie_name uqmq
cookie_path /ezlogin/
admin_user admin
mysql_encrypt no
cookie_expiration 3600 ←
```

The config file for Ezeelogin Version 5 would be /usr/local/etc/ezeelogin.conf

Related Articles

How to find the Ezeelogin software version, build ID and last upgrade date and that was being run?

Upgrade Ezeelogin Jump server to the latest version

Increase Web Proxy Session Timeout

Online URL:

https://www.ezeelogin.com/kb/article/setting-session-time-out-for-the-web-interface-38.html