## Error: Could not bind to any LDAP server: 80090308: LdapErr: DSID-0C090453, comment: AcceptSecurityContext error, data 52e, v3839

396 Nesvin KN November 1, 2023 Common Errors & Troubleshooting 10869

Error: Could not bind to any LDAP server: 80090308: LdapErr: DSID-0C090453, comment: AcceptSecurityContext error, data 52e, v3839

How to fix Error: Could not bind to any LDAP server: 80090308: LdapErr: DSID-0C090453, comment: AcceptSecurityContext error, data 52e, v3839

Heading to the received error, The error code 52e indicates invalid credentials. Check the list below as a reference regarding all error codes.

- 525 user not found
- 52e invalid credentials
- 530 not permitted to login at this time


This error has been identified as Authentication Failure for Service Account which is used to Query the Object in LDAP Server. This error occurs when we use an incorrect attribute or password. This is a common error seen while authenticating with <u>Windows AD</u> server as well.

• Check if you have changed the password of the bind user from the LDAP server.

Check the following attributes and reconnect to the <u>LDAP server</u>.

- Bind DN
- Bind Password
- UID Attribute
- First Name Attribute

Refer to a screenshot of LDAP settings:



## **Related Article**

- Integrate OpenLDAP / Windows Active Directory authentication in the Ezeelogin jump server
- Integrate Windows AD on RHEL 8 using SSSD
- Integrate OpenLdap with CentOS using SSSD
- Integrate Windows AD with CentOS using SSSD

## Online URL:

https://www.ezeelogin.com/kb/article/error-could-not-bind-to-any-ldap-server-80090308-ldaperr-dsid-0c090453-comment-acceptsecuritycontext-error-data-52e-v3839-396.html