

Redirect IP to Domain Name in Linux

525 Nesvin KN January 30, 2025 [General](#) 9700

How to redirect IP to FQDN with HTTPS in Apache Webserver using mod_rewrite (Ubuntu 18,20,22)?

Overview: This article guides you through redirecting an IP address to an FQDN with HTTPS in Apache on Ubuntu 18, 20, and 22 using mod_rewrite. It includes enabling required modules, configuring virtual hosts for HTTP and HTTPS, modifying Apache settings to allow overrides, and setting up .htaccess rules to enforce redirection from `http://192.168.1.1` to `https://server.gateway.com/ezlogin/`.

The objective of the article is to rewrite the URL from **`http://192.168.1.1`** to **`https://server.gateway.com/ezlogin`** using **.htaccess**

Step1. [Enable the rewrite and alias module in Ubuntu.](#)

```
root@ubuntu ~]# a2enmod rewrite alias  
  
root@ubuntu ~]# systemctl restart apache2
```

Step 2. Create a **virtual host** for the domain name with ports **80** and **443**.

```
root@ubuntu ~]# vim /etc/apache2/sites-available/server.gateway.com.conf
```

```
<VirtualHost *:80>  
  
ServerName server.gateway.com  
  
DocumentRoot /var/www/html  
  
<Directory /var/www/html>  
  
AllowOverride All  
  
</Directory>
```

```
</VirtualHost>
```

```
root@ubuntu ~]# vim /etc/apache2/sites-available/server.gateway.com-ssl.conf
```

```
<VirtualHost *:443>
```

```
ServerName server.gateway.com
```

```
DocumentRoot /var/www/html
```

```
<Directory /var/www/html>
```

```
AllowOverride All
```

```
</Directory>
```

```
</VirtualHost>
```

Step 3. Edit the **default apache configuration file** and add "**AllowOverride All**"

```
root@ubuntu ~]# vim /etc/apache2/sites-available/000-default.conf
```

```
<VirtualHost *:80>
```

```
ServerAdmin webmaster@localhost
```

```
DocumentRoot /var/www/html
```

```
<Directory /var/www/html>
```

```
AllowOverride All
```

```
</Directory>
```

```
</VirtualHost>
```

Step 4. Edit the **default apache SSL configuration file** and add "**AllowOverride All**"

```
root@ubuntu ~]# vim /etc/apache2/sites-available/default-ssl.conf
```

```
<IfModule mod_ssl.c>
```

```
<VirtualHost _default_:443>
```

```
ServerAdmin webmaster@localhost
```

```
DocumentRoot /var/www/html
```

```
<Directory /var/www/html>
```

```
AllowOverride All
```

```
</Directory>
```

```
SSLEngine on

SSLCertificateFile /etc/ssl/certs/apache-selfsigned.crt

SSLCertificateKeyFile /etc/ssl/private/apache-selfsigned.key


</VirtualHost>

</IfModule>
```

Step 5. Create a **.htaccess** file and add the below rules. Replace below domain name with your domain name.

```
root@ubuntu ~]# vim /var/www/html/.htaccess

RewriteEngine On

RewriteCond %{HTTP_HOST} !^server.gateway.com$
RewriteRule ^(.*)$ https://server.gateway.com/$1 [R=301,L]

RedirectMatch ^/$ https://server.gateway.com/ezlogin/
```

Related Articles:

[Change the web URL / URI of Ezeelogin Installation](#)

Online URL: <https://www.ezeelogin.com/kb/article/redirect-ip-to-domain-name-in-linux-525.html>