signature algorithm ssh-dss not in PubkeyAcceptedAlgorithms

554 admin April 4, 2024 Common Errors & Troubleshooting 3441



How to fix "userauth_pubkey: signature algorithm **ssh-dss** not in PubkeyAcceptedAlgorithms"

Inorder to change ssh-dss key to ssh-rsa, follow below article.

How to reset cluster keys in Ezeelogin?

1. Login to the server and tail **/var/log/secure** to check errors. Refer below example.

root@gateway ~]# tail -f /var/log/auth.log

userauth_pubkey: key type ssh-dss not in PubkeyAcceptedKeyTypes [preauth]

2. Run the following command to see the key types enabled on the server.

3. Open /etc/ssh/sshd_config and append the below line to enable ssh-dss.
4. Re-run the below command and confirm that ssh-dss has been enabled.
5. Try to modify the year new and confirm it's working fine
5. Try to modify the user now and confirm it's working fine. How to view the list of KEX and Keys in the Linux server?
• How to list keys in the Linux server?

How to list KEX in the Linux server?	
Related articles	
userauth pubkey: signature algorithm ssh-rsa not in PubkeyAcceptedAlgorithms	
Error: User modify failed. Cannot modify user on this node: Authentication by SSH key failed	
Error: User modify failed. Cannot modify user on other node: Authentication by SSH key failed!	
Online URL: https://www.ezeelogin.com/kb/article/signature-algorithm-ssh-dss-not-in-	

pubkeyacceptedalgorithms-554.html