

How to import servers without password authentication ?

613 Krishnaja April 11, 2025 [Common Errors & Troubleshooting](#) 1936


Import servers from CSV and automatically set the password

Overview: The article explains how to import servers into Ezeelogin without password authentication using either the Global SSH Key or a Custom Key via a CSV file.

1. Import servers from Gateway server without password authentication.

Step 1: Add the Ezeelogin global key to the `authorized_keys` file on all remote servers.

Step 1(A): Login to Gateway server's webpanel -> copy the Global key. Refer to below screenshot.



Copy the Ezeelogin global ssh public key and paste it into the `authorized_key` file in the remote servers.

Step 2: To import servers from CSV,

Step 2(A): Use the [export feature](#) to get a CSV file as shown below which can be later used as a template to import more servers.

```
"name"|"ip_address"|"group"|"password"|"ssh_port"|"ssh_user"|"keep_password"|"enable_ssh"|"controlpanel"|"datacenter"|"description"|"tunnel_host"|"switch_user"|"switch_pass"|"switch_sudo"|"prompt1"|"prompt2"|"prompt3"|"cp_user"|"cp_pass"|"rc_host"|"rc_user"|"rc_pass"|"onhost"|"ishn"|"rack_id"|"machine_id"|"comments"|"use_dns"|"passphrase"|"ssh_key"|"rdp"|"windows_domain"|"ipmi_host"|"ipmi_protocol"|"ipmi_port"|"ipmi_request_method"|"ipmi_user_field"|"ipmi_username"|"ipmi_passwd_field"|"ipmi_password"|"ipmi_basic_auth"|"ipmi_request_uri"|"ipmi_extra_vars"|"ipmi_enable"

"ez.noc.com"|"118.7.63.62"|"LINUX"|"|"22"|"root"|"S"|"Y"|"|"|"Test Machine"|"|"|"|"N"|"|"Password:"|"|"|"
```

Step 2(B): Open the sample CSV file and edit and update name, ip_address, group, password, ssh_port, ssh_user, keep_password, and enable_ssh as below.

Give a random string as a password and set keep_password as 'N' for all servers.


For example,

You can set the same password(random string) for all servers.


```
+-----+
+-----+
| name | ip_address | group | password | ssh_port | ssh_user |
keep_password | enable_ssh |
+-----+
+-----+
| ez.noc.com | 118.7.63.62 | Linux | Ezeel23 | 22 | | N | Y |
+-----+
+-----+
```

Step 2(C): Import the servers from the CSV file. Login to gateway **GUI** > click on the import tab on the left then choose the CSV file and click **upload**.


Make sure that you have created the server groups mentioned on the CSV before import.




Step 2(D): Once you click upload, the CSV file would be parsed and if the format is correct, then the import button would show up so that you can import the list of servers. Using this feature you can import multiple servers quickly.




Step(E): After the successful import of the servers, it will display the message "**Success: Servers imported**" as shown in the screenshot below.



Step 3: Reset the password on all servers from the servers tab as follows.




Step 4: You can view the password by : Login to **gateway GUI** > **Servers** > **+ icon** to view the server details.



Login to Ezeelogin shell (ezsh) -> navigate to any server using the up and down arrow keys -> click on the Tab button to view server details.

Server details

```
Name      : production.debian.server
IP        : 192.168.1.12
SSH port  : 22
SSH User  : root
Password  : xUBuk7P9@!QPF/hY7Qk)Bgau7dGQU.
Group     : production servers
```



Step 5: Refer to the article to reset the password of the servers periodically.


[How to reset the password of the servers periodically](#)

2. Import Server from CSV with Custom Key

Follow the steps to *import servers from CSV with custom key*.

Step 1: Add the Custom key in Key management from Servers tab >> Key Management and add Private keys with passphrases.

(On adding the custom private keys in Key management , we can later select the private key while adding a server.)



Step 2: Export and Import the servers.

Use the [Export feature](#) and export the servers to get a CSV file as shown below.

```
"name","ip_address","group","password","ssh_port","rdp_port","ssh_user","keep_password","enable_ssh","control
panel","datacenter","description","tunnel_host","switch_user","switch_pass","switch_sudo","prompt1","prompt2",
"prompt3","cp_user","cp_pass","rc_host","rc_user","rc_pass","onhost","ishn","rack_id","machine_id","comments
","use_dns","passphrase","ssh_key","ssh_private_key","rdp","windows_domain","ipmi_host","ipmi_protocol","ip
mi_port","ipmi_request_method","ipmi_user_field","ipmi_username","ipmi_passwd_field","ipmi_password","ip
mi_basic_auth","ipmi_request_uri","ipmi_extra_vars","ipmi_enable","mysql","Testing"
```

```
"rhel","192.168.0.116","Testing
```

```
Server","","22","3389","root","S","Y","","","","","","","N","","","ssword:","","","","","","","N","","","","","N","","","
","N","","","","http","80","POST","","","","","N","","","","N",,
```

```
"ubuntu","192.168.0.111","Testing Server","","22","3389","root","S","Y","","","","","","","N","","","ssword:","","","
","","","","","N","","","","","N","","","","","N","","","","http","80","POST","","","","","N","","","","N",,
```

Open the CSV exported file and edit the ssh_key as the key for all servers as shown below.

Make sure to mention the name of the [Key management](#) name that you had mentioned while creating the custom key in step 1.

```
+-----+
+-----+
| name | ip_address | group | ssh_port | ssh private_key |
```



```

+-----+
| rhel   | 192.168.0.116 | Testing Linux | 22 | key |
+-----+
| ubuntu | 192.168.0.111  | Testing Linux | 22 | key |
+-----+

```

Step 3: Import this csv file from gateway GUI. Under Servers >> Import >> Select the CSV file and Upload >> Import.

The screenshot shows the Ezeelogin GUI with the 'Servers' menu open and 'Import' selected. A green box highlights the 'Upload CSV file' button and the 'Upload' button. A green box also highlights the 'Import' button in the left sidebar. A green box also highlights the 'Success: Servers imported' message at the top. Below the import section, a table displays the imported servers:

Name	IP Address	Server Group	SSH Port	Description
rhel	192.168.0.116	Testing Server	22	
ubuntu	192.168.0.111	Testing Server	22	

Step 4: Login to Ezlogin GUI >> Ezsh shell >> Navigate to any server and click an tab Key to confirm the way of login.

```
Server details
Name      : rhel
IP        : 192.168.0.116
SSH port  : 22
SSH User  : root
Password  :
SSH Key   : Press space to show key
Passphrase : H)ZGK]pVv8![9D9AK$9/)PM52n{JrJ@B
Group     : Testing Server

Press any key to continue...

SERVERS [All servers] (group) [Normal / ]
Start typing string to locate. ESC: Clear search, F1/+: Help, F4/!: Exit.
Menu| Ezeelogin | SSH CONNECTION ESTABLISHED
```

Related Articles:

[How to export servers?](#)

[Common errors while importing servers.](#)

Online URL:

<https://www.ezeelogin.com/kb/article/how-to-import-servers-without-password-authentication-613.html>