616 Rakhi April 1, 2025 Common Errors & Troubleshooting 1716

/usr/bin/mosh: Did not find mosh server startup message. (Have you installed mosh on your server.)

Overview: This article provides steps to resolve the issue when Mosh is disallowed while attempting to use it for remote shell access.

```
A root@AD-LAPLEN-11:~ X + V

root@AD-LAPLEN-11:~# mosh tony@192.168.0.113
tony@192.168.0.113's password:

Mosh disallowed
Connection to 192.168.0.113 closed.
/usr/bin/mosh: Did not find mosh server startup message. (Have you installed mosh on your server?)
root@AD-LAPLEN-11:~# |
```

When trying to connect using Mosh, the following error message may appear:

```
/usr/bin/mosh: Did not find mosh server startup message. (Have you installed mosh on your server?)
```

This error occurs when:

- Mosh is not installed on the server.
- Mosh service is not enabled in the Ezeelogin GUI.


How to enable mosh service for the admin user.

Step 1: Ensure Mosh is installed on your Gateway machine by running:


```
root@gateway:~# apt-get install mosh
```

Step 2: To enable mosh service on your machine you need to enable it.


Navigate to **Access Control > User Action**. Select the users who require access and enable **Allow Mosh**.



Step 3: Verify that **Admin** or required group users have permission under **Access Control > User Group-Action**.



Step 4: Once enabled, try connecting to the server using Mosh:



Related Articles:

View users in specific user group.

Hide server details of particular user group.

Online URL: https://www.ezeelogin.com/kb/article/mosh-disallowed-616.html