### Prompt ssh gateway user to enter reason for ssh access 656 Nesvin KN April 18, 2025 <u>Security Features</u> 1359


## How to prompt a ssh gateway user to enter a 'reason' in ezsh shell and when ssh'ing to the remote server?

**Overview:** This article explains how to enable reason prompts in Ezeelogin for SSH gateway and remote server access to support security compliance.

This feature will let the gateway user enter a 'reason' while entering the Ezeelogin shell and (ezsh) and the remote server. The 'reason typed in' will be stored in server activity and shell activity logs. This feature is useful for meeting security compliance requirements.

This feature is available from Ezeelogin version 7.37.0. <u>How to upgrade the Ezeelogin version to the latest?</u>

# How to prompt the ssh gateway user to key in the 'reason' during SSH access?




**Step 1:** Edit the gateway user and enable "**Prompt Reason**." When the user SSH to ezsh, after the two-factor authentication step, the **shell will prompt them to enter a reason for the SSH** connection, which can be found under **shell activity**.

Ezeelogin			Welcome, Administrator Logout
i≣ Servers ►		Edit User	
🔚 Web Portals 🔹 🕨	×	First Name	Last Name
🎿 Users 🔍		alex	
▶ User Groups	and the second	Username 🐵	Email
Authentication Log		alex	alex@uc.com
▶ SSH Log	1	User Group	Status
<ul> <li>RDP Recording</li> </ul>		Dummy \$	Active X Suspended
<ul> <li>SCP Log</li> <li>Web Proxy Log</li> </ul>	12.15	Expire 🐵	Command Guard 🧐
<ul> <li>Web Proxy Log</li> <li>Web Proxy Activity</li> </ul>		Never ¢	None \$
<ul> <li>Web Activity</li> </ul>	1.00		
<ul> <li>Shell Activity</li> </ul>		Limit IPs 🕡	Allow Disallow
<ul> <li>Server Activity</li> </ul>		X	Virtual Shell 🥹
<ul> <li>Work Summary</li> </ul>		Allowed IPs 🥹	×
▶ Status	1.20		Pass User Through 😡
Access Control		SSH Private Key 🕡	Inherit \$
0.0-46			SSH Key Passphrase 🕼
o <sub>o</sub> Settings ►			
🛞 Cluster	1.1		LDAP 🥹
Command Guard		6	None \$
Account		Sub SSH User 🥹	Prompt Reason 😨
	10.000	Select 🗘	
🛇 Help 🕨 🕨		Force Password Change 🥺	Authorization Password 🕖
License		×	Autorization Password
			Cancel Save
-			
Enter a re	2250	n for accessing (4 to 100 characte	ers).
LINCEI A IC	-450	in for accessing (4 to 100 characte	

Step 2: Navigate to Users -> Shell Activity -> Select username -> Find. The reason and other details can be found in the logs.

Ezeelogin								Vel	come, Administrator Logo	out
t≣ Servers ►		Search							0	<
🖬 Web Portals 🛛 🕨	*	User				Rows Per Pag	10			
±t Users ▼		All	÷ 🔸			10	\$			
<ul> <li>User Groups</li> </ul>		From				То				
<ul> <li>Authentication Log</li> </ul>		2023-12-07 05:42	10			2023-12-09 0	5:42			
SSH Log						Note: Logs an	e local to the node. Sea	rch the other node as well if cluste	er is configured	
RDP Recording							eset Find		in is configured.	
SCP Log	6.2					Export	eset			
Web Proxy Log	205			4		Mananaka	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		Contraction of the second	
Web Proxy Activity	e	Gateway Activity	Logs Clear all			and the second states			•	
<ul> <li>Web Activity</li> </ul>	262	Username	IP Address	Login Time	Logout Time	Idle Time	Status	Reason	Actions	
Shell Activity		alex	NA	2023-12-08 05:32:01	2023-12-08 05:37:28	Os	SUCCESS: login	access production server	- 1	
<ul> <li>Server Activity</li> </ul>									1-1/1	
Work Summary	h								and the second se	
► Status										
Access Control										

#### How to enable the prompt reason for entering to remote server?



Step 1: Enable Remote Access Reason to globally enable prompt reason when entering all remote servers. Navigate to Settings -> General -> Security -> enable Remote Access Reason.

Ezeelogin		Welcome, Administr
Servers ►	Ceneral Settings	Authentication Two Factor Authentication Security Defaults Miscellaneo
Web Portals	RDP Recording <sup>(2)</sup>	Encrypt SSH Session Logs 🔍
Users >	×	×
Access Control	Proxy Allow All 📦	Web Proxy Logging 🕶
Settings 🛛 🔻	Four Eyes Authorization @	
General		×
Branding	Consider Server Activity @	Hide Server Details 😡
Control Panels	Constant and the second se	
Data Centers	×	×
API	Web Logout Shell 🥹	Recursive Delete Protection @
LDAP		4
SAML	Shell Activity Timeout @	Failed Login Notifications 🥪
FIDO2		-
RADIUS	0	x
SIEM	Passthrough Environment Variables @	Change Notifications @
Server Fields	LANG,LC_CTYPE,LC_NUMERIC,LC_TIME,LC_COLLATE,LC_	_MONIETARY,LC_MESSAGES,LC_AL
Cluster	Remote Access Reason @	Detailed Audit Logs 😨
		×
Command Guard		Cancel Save

Enter a reason for accessing (4 to 100 characters):

**Step 2:** Navigate to **Users -> Server Activity ->** Select **username -> Find**. The reason and other details can be found in the logs.

Ezeelogin									Yelc	ome, Administr	rator Logout
t≣ Servers ►	Search		and the second				1. N				
E Web Portals	User			의 관광지 안 가지 않는		Se	rvers				
1 Users 🔻	ezadmin	÷ 🔶					- All 🗘				
<ul> <li>User Groups</li> </ul>	From					То					
► LDAP	2023-12-13 06:0	4 🔟				20	023-12-15 06:04 📷				
<ul> <li>Authentication Log</li> </ul>	Rows Per Page					No	ote: Logs are local to the no	de Search the othe	er node as well if cluste	r is configured	143
► SSH Log	10						Export Reset Find			ie eeningereen	
► RDP Recording	10	Ŧ					Export Reset Find				*
► SCP Log	and the second second	and . I will	Sector States and		Tel States	and and a state	an fan terrer i	A COLOR MARK	and the second second	1.000	and the
<ul> <li>Web Proxy Log</li> </ul>	Server Activity	Logs Clear all									•
<ul> <li>Web Proxy Activity</li> </ul>	Username	Server Name	Status F	Reason	IP Address	Login Time	Logout Time	Input Idle Time	Output Idle Time	Actions	
<ul> <li>Web Activity</li> </ul>	ezadmin	ubuntu.server	SUCCESS: done	check logs	NA		1:29 2023-12-14 06:02:54	0s	0s		8
<ul> <li>Shell Activity</li> </ul>	ezadmin	ubuntu.server	FAILED		NA	2023-12-14 06:02	2:55 2023-12-14 06:02:55	0s	0s		8
Server Activity											1-2/2
<ul> <li>Work Summary</li> </ul>											1-272
▶ Status											
Access Control											
⁰₀ Settings	1.				· · ·						
🛞 Cluster							A States	· , *			

#### **Related Articles:**

User log showing different dates

Different logs of user

Prompt username and password while accessing remote servers

How to find the reasons for account being suspended?

Online URL:

https://www.ezeelogin.com/kb/article/prompt-ssh-gateway-user-to-enter-reason-for-ssh-access-656.html