## Disconnecting while logging into the remote server

683 Lekshmi April 23, 2025 Common Errors & Troubleshooting 1391

## How to solve disconnection issues when attempting to log in to a server from the backend?

**Overview:** This article outlines how to resolve disconnection issues when logging in to a remote server from backend by verifying the logs and addressing issues related to duplicate entries.

**Step 1:** Tail the latest ezsh log of the user who attempted to log in to the server. Replace the username with the actual one.

```
root@gateway:~# tail -f /home/username/ezsh.log

OR
```

Tail <u>latest application log</u> and try to replicate the same error encountered earlier. Replace latest\_log with the actual log filename.

```
root@gateway:~# tail -f /var/www/ezlogin/application/logs/latest_log
```

The example below illustrates how to diagnose and fix issues found in the SSH logs:

**Step 2:** If below error appears in the log, follow the steps outlined below to resolve the issue.

```
root@gateway:~# tail -f /home/linda/ezsh.log
New session started from 69.90.223.10:55130 to 10.10.8.21:22 on Wed
Feb 28 01:52:58 2024
Query failed (INSERT INTO `emhpp_sshlogs` (`user_id`, `server_id`,
`serveractivity_id`, `ssh_user`, `type`, `status`, `file`,
`encryption`, `mexecid`, `created`) VALUES ('49', '2728', '0',
'root', 'input', 'begin', '/var/log/ezlogin/input/linda/root~cwh27.ad
mod.com~Wed_Feb_28_01:53:19_2024', '1', '', NOW())): Error 1062:
Duplicate entry '1248166' for key 'PRIMARY'
SSH log entry (/var/log/ezlogin/input/linda/root~admod.com~Wed_Feb_28
_01:53:19_2024) creation failed: 0
```

**Step 2(A):** Identify the duplicate entry in the table mentioned in the ezsh.log and log into MySQL. In this case, the duplicate entry identified by its primary key is 124866.

Step 2(B): Modify the INSERT query to include a new column called 'id', and assign it a value

that is one higher than the duplicate entry shown in the ezsh.log. Make sure to replace the values for id, user\_id, server\_id, serveractivity\_id, ssh\_user, type, status, file, encryption, mexecid, and created with the actual values specific to your case.

mysql> INSERT INTO `emhpp\_sshlogs` ( `id`, `user\_id`, `server\_id`, `serveractivity\_id`, `ssh\_user`, `type`, `status`, `file`, `encryption`, `mexecid`, `created`) VALUES ('1248167', '49', '2728', '0', 'root', 'input', 'begin', 'path\_to\_file', '1', ", NOW());

**Step 2(C):** Delete the previously created entry from the table using a DELETE query. Replace "table\_name" and "value" with the correct values. This will set the increment value correctly.

mysql> delete from table\_name where id= value;

Example: mysql> delete from emhpp\_sshlogs where id= 1248167;

**Step 3:** Once done, try logging in again to the server that previously failed during the login attempt.

For a permanent solution, the best option would be to take a database dump and then re-import it, or alternatively, <u>update</u> the currently used Ezeelogin to the same version.

## **Related Articles:**

Upgrade Ezeelogin Jump server to the latest version

Basic MySQL commands for troubleshooting database related issues in Ezeelogin

## Online URL:

https://www.ezeelogin.com/kb/article/disconnecting-while-logging-into-the-remote-server-683.html