

# Enable or Disable or force ssl for the web interface

102 admin October 3, 2024 [Tweaks & Configuration](#) 9142

## How to enable or disable force SSL for Ezeelogin web interface?

**Overview:** This article explains how to enable or disable force SSL, ensuring that the Ezeelogin web GUI is accessible only via the HTTPS protocol for gateway users.

**Step 1:** Before enabling and enforcing SSL, ensure that an [SSL certificate](#) is enabled for the domain/hostname that is used to access the GUI.

<https://www.ezeelogin.com/kb/article/how-to-install-ssl-certs-in-jump-server-secure-connection-207.html>

**Step 2:** Modify the Ezeelogin configuration file on the gateway server and set the variable **force\_https** to **yes**

```
root@gateway:~# vi /usr/local/etc/ezlogin/ez.conf
```

**Step 2(A):** To enable force SSL

```
force_https yes
```

**Step 2(B):** To disable force SSL

```
force_https no
```

---

**Related Articles:**

[Check the versions of SSL/TLS, HTTPS, and SSH used in the Ezeelogin Server.](#)

[How To Create a Self-Signed SSL Certificate for Nginx on Debian.](#)

Online URL:

<https://www.ezeelogin.com/kb/article/enable-or-disable-or-force-ssl-for-the-web-interface-102.html>