

Interrupt SSH session to remote server

642 Lekshmi December 14, 2023 [Features & Functionalities](#) 337

How to interrupt the SSH session to the remote server from the ezsh shell?

When a server times out or a session becomes unresponsive within Ezeelogin, instead of opening a new terminal or starting a new session, consider using the following approaches:

Scenario 1:

If a session becomes idle and there's no activity within it for the specified idle timeout duration (10 to 20 seconds), Ezeelogin takes action. It initiates a fallback mechanism, which means it returns the user to the server list or server selection screen.

Ezeelogin

Welcome, Administrator Logout

Servers

Web Portals

Users

Access Control

Settings

General

Branding

Control Panels

Data Centers

API

LDAP

SAML

FIDO2

RADIUS

SIEM

Server Fields

Cluster

Command Guard

General Settings

Authentication

Two Factor Authentication

Security

Defaults

Miscellaneous

Gateway SSH Port

22

SSH Timeout

10

RDP Proxy Port

22555

Web SSH Port

52222

Web Proxy Port

52666

Web Proxy Session Timeout

300

Web Proxy Request Timeout

120

Web Proxy Web Sockets

☒

Web Proxy Forwarded Header

☒

Log Retain Duration (months)

0

Log Space Threshold (MB)

0

mExec Concurrency

100

NodeJS Command

/usr/bin/nodejs

Hide Inbuilt Backgrounds

☐

Login theme

Dark

Use DNS

☐

License Timeout

Scenario 2:

When you encounter a situation in Ezeelogin where a server times out or a session becomes unresponsive, use the Ctrl+C keyboard shortcut. When you press Ctrl+C, Ezeelogin displays a message that says "Connection interrupted by user". This action initiates a fallback to the server list shell.

mubuntu

Connection interrupted by user

Server: mubuntu, port: 22

Press any key to continue...**█**

Related Article

- [Authentication by SSH key failed](#)

- [Failed to establish SSH session](#)

Online URL: <https://www.ezeelogin.com/kb/article/interrupt-ssh-session-to-remote-server-642.html>